

## UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NUMBER FILING DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NO.

EXAMINER

ART UNIT PAPER NUMBER

1 2

DATE MAILED:

03/11/95

This is a communication from the examiner in charge of your application. COMMISSIONER OF PATENTS AND TRADEMARKS

NOTICE OF ALLOWABILITY
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.
This communication is responsive to the response filed February 25, 1999.
D 17-31
The allowed claim(s) is/are are acceptable.
Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).
☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
☐ received.
received in Application No. (Series Code/Serial Number)
☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
*Certified copies not received:
Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).
A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE <b>THREE MONTHS</b> FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).
□ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.
Applicant MUST submit NEW FORMAL DRAWINGS
because the originally filed drawings were declared by applicant to be informal.
including changes required by the Notice of Draftperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No
including changes required by the proposed drawing correction filed on, which has been approved by the examiner.
including changes required by the attached Examiner's Amendment/Comment.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftperson.
□ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.
Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.
Attachment(s)
□ Notice of References Cited, PTO-892
Information Disclosure Statement(s), PTO-1449, Paper No(e). Filed March 28, 1997.
Notice of Draftsperson's Patent Drawing Review, PTO-948
□ Notice of Informal Patent Application, PTO-152
☐ Interview Summary, PTO-413 (VARS CINTINS
☐ Examiner's Amendment/Comment COMMENT COMMEN
□ Examiner's Amendment/Comment □ Examiner's Comment Regarding Requirement for Deposit of Biological Material □ Examiner's Comment Regarding Requirement for Deposit of Biological Material
Framinar's Statement of Reasons for Allowance

Serial Number: 08/748,205 Page 2

Art Unit: 1308

Restriction to one of the following inventions is required under 35 U.S.C. § 121:

I. Claims 1-14, drawn to a filtering system, classified in Class 210, subclass 169.

II. Claims 15-21, drawn to a method for filtering a fluid, classified in Class 210, subclass 786.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (M.P.E.P. § 806.05(e)). In this case the process of Group II could be carried out with another apparatus, different from that of Group I. For example, the process of Group II (as evidenced by claim 21) does not require the quiet zone or conveying means of Group I; and therefore, could be carried out with a filtration system which does not include these elements.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification and divergent subject matter, and

Serial Number: 08/748,205 Page 3

Art Unit: 1308

because the searches for the individual Groups are not coextensive, restriction for examination purposes as indicated is proper.

Applicant is advised that the response to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to I. Cintins whose telephone number is (703) 308-3840. The examiner can normally be reached on Monday through Thursday from 7:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Stanley Silverman, can be reached on (703) 308-3837.

The fax phone number for this Group is (703) 305-3602. When filing a FAX in Group 1300, please indicate in the Header (upper right) "Official" for papers that are to be entered into the file, and "Unofficial" for draft documents and other communications with the PTO that are not for entry into the file of the application. This will expedite processing of these papers.

Serial Number: 08/748,205 Page 4

Art Unit: 1308

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0651.

Ivars C. Cintins
Primary Examiner
Art Unit 1308

I. Cintins September 3, 1997